

Attix 8 & 12 Series

The only vacuum in the market that cleans its filter automatically

www.nilfisk-alto.us

Wap

Total Cleaning Confidence[®]



**Nilfisk
ALTO**

Mobile & Compact - with light



WAP ATTIX 8 SERIES WET/DRY ON THE MOVE

*A unique, compact and flexible vacuum cleaner.
The only vacuum in the market that alerts users
when the filter needs cleaning.**

Wap

WAP ATTIX 8 - designed to improve mobility

With the new WAP ATTIX 8, Nilfisk-ALTO widens the wet/dry vacuum range. The vacuum is the perfect solution for craftsmen and other professionals in **woodworking, drywall, and automotive** industries. Bring the ATTIX 8 with you to remove all traces of dust and dirt. You will experience a power surplus greater than one would expect from such a small machine.

Silent Operation

The low noise level of 59 dB(A) is a luxury feature for a comfortable working environment

Cable hook & Accessory Holder

Have everything in one place. It also allows for proper storage after use.

New Container Design

The slim design allows for an easy transport. The container has no rips and no secret corners inside, so emptying is not a problem.



WAP ATTIX 8 HEPA Options



WAP HEPA filter systems meet the following standards:

ANSI	Z9.2-1979	EPS	560-OPTS-86-003
OSHA	1910.1001	MIL	51058 F
EPA	560-OPTS-86-002	DOE Nuclear Standard	NE F 3-43

HEPA standards also applicable to WAP Attix 12

Push&Clean


Filter Cleaning System

Push&Clean


Filter Cleaning System

If your work is with “normal” dirt, you may not need a filter cleaning system... But if you are working with fine dust, you are surely familiar with the dreaded task of cleaning clogged filter cartridges to restore normal suction performance.

With Push&Clean, all you have to do to clean the filter is to cover the fitting or the hose and press the button. Powerful air pulses will clean the filter gently, and you are back to work in no time.



PET-fleece* filter cartridge
Washable and long lasting filter cartridge with high filtration rate for a clean air.



Push&Clean button*
For cleaning the filter just cover the fitting or the tube and press the button.

Audio filter alarm

A high-pitched alarm will notify the user that the filter needs cleaning.

Ergonomic and sturdy grip

The machine can be moved round in an easy and comfortable way even with a full container.

Round switch and auxiliary power outlet

The switch can be easily used, even with gloves. It always indicates whether the machine is on or off. The automatic auxiliary power outlet* allows you to use electric tools.

SoftStart*

A gentle start-up motor keeps starting current low and prevents voltage.

Power Regulator*

To adjust suction performance and to prevent the power tool from sticking to the work surface.

Superior Suction Performance

The power you need for better cleaning with less effort in less time.

Hose selection feature*

Adjustment for various diameter of suction hose for optimum cleaning.

The Push&Clean system:

- Keeps suction performance constantly high
- Extends the life of the filter and reduces your costs
- Saves you working time
- Improves the reliability of the machine

Push&Clean filter cleaning technology

The Push&Clean technology allows a fast and simple cleaning of the filter cartridge. When you block the fitting for the air inlet or the hose and push the filter cleaning button, the surrounding air enters into the container, passing through the filter cartridge in the opposite direction. The dirt is blasted off the filter and the suction performance is high again. A comfortable and powerful but gentle way of cleaning the filter.

*Standard on Attix AS/E

Push&Clean



Xtreme Efficiency

WAP ATTIX 12 SERIES XTREME SILENCE

Superior suction power, silent operation and new innovative features



The Most Silent Worker Around

Even when it does the tough jobs, you won't notice. The WAP ATTIX 12 was developed with many improvements and a new design. Additionally, it gives you the most silent operation of the WAP line. Then add superior suction performance, automatic filter cleaning, and anti-static features, and you have the perfect wet/dry vacuum for the body shop, rental store, and manufacturing industries.

Silent Operation

The low noise level of 59 dB(A) is a luxury feature for a comfortable working environment

Cable hook & Accessory Holder

Have everything in one place. It also allows for proper storage after use.

Extra large wheels and castors

Good mobility even on different or uneven surfaces.

Application-Specific Models Available



XtremeClean
Automatic Filter Cleaning System

WAP now offers the impressive filter cleaning system called XtremeClean. The name is characteristic for the cleaning level of this system: Extremely efficient and completely automatic, saving you time and money. The best filter cleaning system that the market has ever seen.


All you have to do is start the vacuum. The filter is immediately cleaned automatically, and every 30 seconds while you work. So there is no need to interrupt your work to clean the filter. You concentrate on your task, and XtremeClean will take care of the filter.

Powerful air pulses clean the filter gently and:

- Keep the suction performance constantly high
- Extend the life of the filter and reduce your costs
- Save you working time without interruptions
- Improve the reliability of the machine
- Word-Patented

XtremeClean filter cleaning technology
Advanced technology delivers automatic filter cleaning while you work with full vacuum performance. The XtremeClean technology is based on a valve controlled solution, using reversed air flow to clean the one half of the filter cartridge - while you still work with the other half of the filter cartridge. The valve allows the surrounding air to enter into the container, passing through the filter in the opposite direction. The dirt is blasted off the filter and the suction performance is restored.

**Standard on different variants*



Ergonomic and sturdy grip

The machine can be moved round in an easy and comfortable way even with a full container.

Round switch and auxiliary power outlet

The switch can be easily used, even with gloves. It always indicates whether the machine is on or off. The automatic auxiliary power outlet* allows you to use electric tools.

SoftStart*

A gentle start-up motor keeps starting current low and prevents voltage.

Power Regulator*

To adjust suction performance and to prevent the power tool from sticking to the work surface.

AntiStatic Feature

To prevent shocks and dirt caused by static charges.

Hose selection feature*

Adjustment for various diameter of suction hose for optimum cleaning.



Nilfisk-ALTO OFFERS MORE DEDICATED SOLUTIONS...

In order to accommodate specific customer needs, Nilfisk-ALTO has developed a full range of accessories and accessory sets. You will find more accessories and more sets in the main Nilfisk-ALTO catalog.



Accessories for WAP ATTIX 8 & 12



Filter bags

2-ply filter bag in sturdy quality and with high filtration rate. PU 5 pcs. The original Nilfisk-ALTO quality.

ATTIX 8 302 000 449
ATTIX 12 302 000 527



Filter Cartridge

Filter cartridge made of washable PET-fleece with high filtration rate and long service life.

ATTIX 8 & 12 302 000 490
ATTIX 12 XtremeClean 302 000 751



Cloth filter insert "special"

Additional filtration stage with high-level filtration efficiency. Best suitable for very fine dust mixed with moisture. For those that work without filter bags. Made of needed felt. Plastic coated.

ATTIX 8 302 000 606
ATTIX 12 302 000 525



Accessory net

Helps carrying different goods like accessories or small tools. Content is visible. Kit incl. screws.

ATTIX 8 302 000 607
ATTIX 12 302 000 524



Exhaust air collector

To collect the exhaust air and lead it out of the room. Ideal for 100% clean rooms. Can also be used to blow some dirt out of hard-to-reach places. Kit incl. screws.

ATTIX 5 & ATTIX 7 302 000 522



Handle, folding

Offers an extreme comfortable handling when the machine is transported. Kit incl. screws.

ATTIX 5 302 000 523



Accessory net
For transportation of even more accessories, an accessory net is available and can be mounted on the vac.

Handle (Folding)
A comfortable way to transport your vac.

Exhaust air collector
If you want to get rid of the vacuumed air - just use the exhaust air collector. Can also be used to blow some dirt out of hard-to-reach places.



Selection of some accessory sets



Industrial/floor set **No. 63214**
4-piece, 1.5-inch dia. connection
13-foot suction hose, oil-resistant 61779
Curved hand tube, stainless steel 46691
2 Suction tubes, stainless steel 15546
Large-capacity floor nozzle with rubber lips 15349



Industrial set **No. 63216**
6-piece, 2-inch dia. connection
13-foot suction hose 15358
Anodised aluminium extension tube 15335
Industrial floor nozzle, aluminium 15343
Replacement rubber lips 15346
Crevice nozzle, special plastic 7102
Coarse dirt nozzle, aluminium 41100



Chip set **No. 61681**
2-piece, 2-inch dia. connection
13-foot aluminium suction hose 15182
Diagonal tube nozzle, rubber 7868



Pipe cleaning set **No. 63215**
4-piece, 1.5-inch dia. connection
13-foot suction hose 15365
8-foot anodised aluminium extension tube 15340
Tube cleaning nozzles for 2.75 - 4.75-inch dia. 7964
for 4.75 - 7.75-inch dia. 8054



Animal Care Set **No. 6095**
4-piece, 1-inch connection
11-foot suction hose 14289
Spiked currycomb 6094
Currycomb 6092
Oven nozzle "XL" 6093



Oven cleaning set **No. 14341**
3-piece, 38 mm dia. connection
4 m suction hose 6070
2,5 m anodised aluminium extension tube 15340
Oven nozzle "XL" 63380



The Facts - For Xtreme Performance

Wap

Technical data:		ATTIX 8	ATTIX 8 AS/E	ATTIX 8 HEPA	ATTIX 12	ATTIX 12 RDF	ATTIX 12 HEPA	ATTIX 12 RDF XC	ATTIX 12 AS/PE XC
Part Number		302000405	302000414	900120	302000573	302000582	900121	763-21 ED	302000588
Power	HP	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Power Peak	HP	7.25	7.25	7.25	8.25	8.25	8.25	8.25	8.25
Air Flow	CFM	120	120	120	140	140	140	140	140
Vacuum Waterlift	inches	90	90	90	105	105	105	105	105
Working Noise	dB(A)	59	59	59	57	57	57	57	57
Container volume	gallon	8	8	8	12	12	12	12	12
L x W x H	inch	15 x 15 x 22	15 x 15 x 22	15 x 15 x 22	20 x 19 x 26	20 x 19 x 26	20 x 19 x 26	20 x 19 x 26	20 x 19 x 26
Weight/Shipping	lbs.	35	35	35	53	53	53	53	53

Standard Features:

Accessory Holder	●	●	●	●	●	●	●	●	●
AntiStatic Suction Hose		●							●
Cable Hook	●	●	●	●	●	●	●	●	●
Filter Cleaning System			Push&Clean					XTREME Clean	XTREME Clean
Rubber Cable	●	●	●	●	●	●	●	●	●
Receptical		●				●		●	●
SoftStart		●				●		●	●
Power Regulator		●						●	●
Tool Deposit	●	●	●	●	●	●	●	●	●
Auto On/Off			Electric					Electric	Electric/Pneumatic
Audio Filter Alarm		●							
Auto Cleaning							●		●

Standard Accessories:

Hose (dia x length)	in. x ft.	1.5 x 10	1.25 x 16	1.5 x 10	1.5 x 10	1.5 x 10	1.5 x 10	1.5 x 10	1.25 x 16 (Coaxial)
Curved Wand		Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Extension Tube		Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Tube Holder		●	●	●	●	●	●	●	●
Floor Nozzle - Combi		●	●	●	●	○	●	○	○
Metal Floor Nozzle		○	○	○	○	●	○	●	○
Crevice Nozzle		●	●	●	●	○	●	○	○
Brush Nozzle		●	●	●	●	○	●	○	○
Universal Nozzle		●	●	●	●	●	●	●	●
Tool Adapter		○	●	○	○	●	○	●	●
Filter Cartridge - Fleece		●	●	○	●	●	○	●	●
Filter Bags		1	1	1	1	1	1	1	1
HEPA Filter		○	○	●	○	○	●	○	○

● - Standard Accessory/Feature ○ - Optional Accessory/Feature

VISIT OUR WEBSITE:
www.nilfisk-alto.us
E-mail: info@altocsi.com

Distributed by:

Nilfisk-ALTO Cleaning Systems, Inc.
2100 Highway 265 South
Springdale, AR 72764
877.366.2586 • Fax: 800.405.9092
info@altocsi.com • www.nilfisk-alto.us

Nilfisk
ALTO

©2002 Nilfisk-ALTO Cleaning Systems, Inc. All Rights Reserved. Specifications subject to change without notice. P/N 8880031 Rev.10/06